

Bamboo

Product description

| Picture | Article number | Description | Length | |
|--|-----------------------------|--------------------------|--------|--|
| Ulle | 2479 | Bamboo tong | 80 mm | |
| | 2760 | Stick Saigon I bamboo | 105 mm | |
| | 2761 | Stick Saigon II bamboo | 120 mm | |
| P.B. | 2677 | Stick Saigon III bamboo | 40 mm | |
| 1 5 5 N | 10122 | Stick Saigon IV bamboo | 60 mm | |
| | 11394 | Stick Saigon V bamboo | 90 mm | |
| | 11395 | Stick Saigon VI bamboo | 150 mm | |
| | 11396 | Stick Saigon VII bamboo | 180 mm | |
| The state of the s | 11397 | Stick Fuji red bamboo | 120 mm | |
| 12 | 11398 | Stick Fuji yellow bamboo | 120 mm | |
| No. | 11399 | Stick Atami red bamboo | 90 mm | |
| No. | 11401 Stick Kita red bamboo | | 70 mm | |
| No. | 11402 | Stick Kyoto red bamboo | 90 mm | |

Page 1/5



| Picture | Article number | Description | Length | |
|---------|----------------|------------------------|--------|--|
| | 2762 | Stick Tokyo I bamboo | 90 mm | |
| 1100 | 2763 | Stick Tokyo II bamboo | 120 mm | |
| | N181 | Stick Tokyo III bamboo | 140 mm | |
| | N334 | Stick Tokyo IV bamboo | 180 mm | |
| | 4001 | Pikes bamboo 3 mm | 200 mm | |
| | 4002 | Pikes bamboo 3 mm | 250 mm | |
| | 4255 | Pikes bamboo 6 mm flat | 200 mm | |
| | 11445 | Pikes bamboo 6 mm flat | 150 mm | |
| | 11446 | Pikes bamboo 6 mm flat | 250 mm | |
| | 11447 | Pikes bamboo 6 mm flat | 300 mm | |

| Picture | Article number | Description | Length | |
|---------|----------------|-------------------|--------|--|
| - | 1756 | Chopsticks bamboo | 230 mm | |

Material/composition

Bamboo

Storage

Storage temperature:

ambient

Relative humidity:

Storage conditions

keep away from direct sunlight

Page 2/5

Pacovis AG Grabenmattenstrasse 19 CH-5608 Stetten Tel. +41 56 485 93 93 Fax. +41 56 485 93 00 www.pacovis.ch/stetten

Pacovis Österreich GmbH & Co KG Zum Wiesfeld 11 AT-2000 Stockerau Tel. +43 (1)270 16 20 - 31 Fax +43 (1)270 79 07 - 51 www.pacovis.at/stockerau

Pacovis Deutschland GmbH Kappishäuserstrasse 74 DE-72581 Dettingen Tel. +49 (0)7123 38 004 - 0 Fax +49 (p)7123 38 004 - 29 www.pacovis.de/dettingen



Purpose of use

☑ The products are suitable for direct contact with food.

Applications:

⋈ Short-term contact

Confirmations

These articles meet the following regulations:

- ☑ **Regulation (EC) No 2023/2006** on good manufacturing practice for materials and articles intended to come into contact with food
- ☑ Regulation (EC) No 1935/2004 on materials and articles intended to come into contact with food and
- ⊠ **Regulation (EU) No 10/2011** on plastic materials and articles intended to come into contact with food. And subsequent amendments until the date of the test report.
- ☑ SR 817.023.21 The Swiss Ordinance on Materials and Articles in Contact with Food

Overall migration

For 1756

Tested under the following conditions (test report SQTS 2020L08211):

| Simulant | Time | Temperature |
|---|------|-------------|
| ⋈ E: Poly(2,6-diphenyl-p-phenylenoxid) or Tenax | 2h | 70°C |

For the remaining articles

Tested under the following conditions (test report SQTS 2018L38932):

| Simulant | Time1 | Temperature1 | Timez | Temperature2 |
|---|-------|--------------|-------|--------------|
| ⊠ E: Poly(2,6-diphenyl-p-phenylenoxid) or Tenax | 3d | 40°C | 2h | 70°C |

The global migration values are below the limit of 10 mg/dm².

Page 3 / 5

Pacovis AG Grabenmattenstrasse 19 CH-5608 Stetten Tel. +41 56 485 93 93 Fax. +41 56 485 93 00 www.pacovis.ch/stetten Pacovis Österreich GmbH & Co KG Zum Wiesfeld 11 AT-2000 Stockerau Tel. +43 (1)270 16 20 - 31 Fax +43 (1)270 79 07 - 51 www.pacovis.at/stockerau Pacovis Deutschland GmbH Kappishäuserstrasse 74 DE-72581 Dettingen Tel. +49 (0)7123 38 004 - 0 Fax +49 (0)7123 38 004 - 29 www.pacovis.de/dettingen



Information on specific migration

□ Formaldehyde was not detected

NIAS

☑ A screening was performed. The specific migration limit values are not exceeded.

Calculation basis

 \boxtimes Ratio of food contact surface area to volume used to establish the compliance of the material or article: 6 dm²/kg

Organoleptic test

The organoleptic test was carried out in accordance with Regulation (EC) No 1935/2004. Under normal or foreseeable conditions of use, the products do not affect the organoleptic properties of the food.

Production site:

China

Customs duty number:

4419.9000

Chopsticks: 4419.1200

Bio-degradability:

The products are completely bio-degradable

Certificates:





Page 4/5

Pacovis AG Grabenmattenstrasse 19 CH-5608 Stetten Tel. +41 56 485 93 93 Fax. +41 56 485 93 00 www.pacovis.ch/stetten Pacovis Österreich GmbH & Co KG Zum Wiesfeld 11 AT-2000 Stockerau Tel. +43 (1)270 16 20 - 31 Fax +43 (1)270 79 07 - 51 www.pacovis.at/stockerau

Pacovis Deutschland GmbH Kappishäuserstrasse 74 DE-72581 Dettingen Tel. +49 (\$\phi\$)7123 38 004 - 0 Fax +49 (\$\phi\$)7123 38 004 - 29 www.pacovis.de/dettingen



Disclaimer

This confirmation applies to the material supplied by us as described. The material then fulfills the requirements of these guidelines for contact with the specified filling goods, provided the specified food contact conditions are observed. The user must convince himself of the suitability of the material for the intended filling material beyond the requirements of the guidelines.

Reclamation

Deliveries, which differ from the listed specifications, will be withdrawn and replaced after review.

Created by: STOL Date: 15.07.2021 Released by: MEI Andreas Meier (Head of purchasing) Mei

Version: 4

Greenway-Denmark Aps Administration: Lager:

Administration: Tolnevej 133, Tolne DK-9870 Sindal

Lager: Ole Rømers Vej 1 B DK-9870 Sindal

Page 5 / 5